

BUGSBALANCE

SLACKLINE KIT



JUST WALK
THE LINE...

RIGGING ALT. A

SLACKLINE KIT



Always protect the environment!

For illustrational purposes some pictures are taken without the protection sheets that comes with the kit. Use them or any other protection, it saves the trees.



Find an open spot with two anchor points, e.g. trees, 4-10m apart (12-30 ft). Make sure there are no rocks or other objects that will hurt you falling.

RIGGING ALT. A

SLACKLINE KIT



1. Sling the long slackline part around the first tree at hipheight and thread the end through the loop. Make sure the webbing isn't twisted and set it off-centre for better locking.



2. Twist the short part around the second tree. Start with positioning the loop where you want it and let the rest follow. Make sure the ratchet has the handle outwards.

RIGGING ALT. A

SLACKLINE KIT



3. Thread the untwisted end from the long part through the loop and then through the ratchet center. Take all the slack in by hand.



4. Tension the slackline by working the ratchet. You now have a slackline from tree to tree without any disturbing tensioning system on the line!

START WALKING

SLACKLINE KIT

- 0 Start at the middle of the line where it is easiest
- 0 When starting you can hold on to someones shoulder. Don't let that person hold you as this can result in heavy falling.
- 0 Place your feet along the line rather than sideways
- 0 Position your hips forward
- 0 Bend your knees slightly for better balance.
- 0 Raise your eyes - if you look down you go down.
- 0 Focus on a distance point, for example on the tree in front.
- 0 Remember to have fun!

Watch the instruction movie at

WWW.BUGSBALANCE.COM

RIGGING ALT. B

SLACKLINE KIT



Find an open spot with two anchor points, e.g. trees, 4-10m apart (12-30 ft). Make sure there are no rocks or other objects that will hurt you falling.



1. Sling the long slackline part around the first tree and thread the end through the loop. Make sure the webbing isn't twisted and set it off-centre for better locking.

RIGGING ALT. B

SLACKLINE KIT



2. Do the same with the short slackline part around the other tree.



3. Thread the loose end through the ratchet center and take all the slack in by hand before tensioning the line by working the handle.
You now have a slackline ready to use.

MECHANISM

SLACKLINE KIT



Work the handle to align the center opening and thread the untwisted slackline through. Take all slack in by hand rather than filling the spool with it.



Tighten the loose end by hand while working the handle. Make sure the webbing doesn't twist or spool diagonally.

MECHANISM

SLACKLINE KIT



Make sure to close the ratchet before putting load to it. To tighten it more if it becomes too slack, just work the handle some more and close it again.



To release the tension, pull the safety lock while opening the handle to 180°.

BUGSBALANCE

SLACKLINE KIT

WARNING

Use this slackline at your own risk. Slacklining is a HAZARDOUS activity which involves unavoidable RISKS and DANGERS which can result in serious injury to any part of the user's body or death. Check all parts of your slackline before each use. Read the User Manual supplied with this product and available at www.bugsbalance.com and follow all instructions before each use of your BugsBalance slackline.

ATTENTION

Vous utilisez ce slackline à vos propres risques. Le slackline est une activité A RISCUE qui expose le rider à de nombreux DANGERS et peut l'amener à prendre des risques inhérents à la pratique du slackline pouvant entraîner des blessures graves ou même la mort. Vérifiez toujours l'ensemble des éléments de votre slackline avant chaque utilisation. Lisez impérativement le Manuel de l'Utilisateur fourni avec ce produit et disponible sur le site Internet www.bugsbalance.com, et suivez toutes les instructions avant chaque utilisation de votre slackline BugsBalance.